



Yoav Thaler
195 Adams St.
Apt 10-J
Brooklyn, NY 11201

Mail Stop Missing Parts
Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

July 21, 2004

Ladies and Gentlemen,

Re: Notice to file corrected application papers

Pursuant to the notice in re, enclosed please find the following:


- Substitute specification, claims and abstract with line spacing of 1.5.
- Corrected filing receipt. Please note the following:
 - 2nd applicant name should be "Michelle H. Thaler"
 - The Title should be "Baby formula preparation device"

Sincerely,

Yoav Thaler

A handwritten signature in cursive script that reads "Yoav Thaler".

ZFW



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

| APPLICATION NUMBER | FILING OR 371 (c) DATE | FIRST NAMED APPLICANT | ATTORNEY DOCKET NUMBER |
|--------------------|------------------------|-----------------------|------------------------|
| 10/821,506 | 04/09/2004 | Yoav Thaler | Pro Se |

Yoav Thaler
Apt 10J
195 Adams Street
Brooklyn, NY 11201

CONFIRMATION NO. 9849
FORMALITIES LETTER
OC000000013083997
OC000000013083997

Date Mailed: 06/28/2004

NOTICE TO FILE CORRECTED APPLICATION PAPERS***Filing Date Granted***

An application number and filing date have been accorded to this application. The application is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

The required item(s) identified below must be timely submitted to avoid abandonment:

- A substitute specification in compliance with 37 CFR 1.52, 1.121(b)(3), and 1.125, is required. The specification, claims, or abstract page(s) submitted is not acceptable and cannot be scanned or properly stored because:
 - The line spacing on the specification, claims, or abstract is not 1½ or double spaced (see 37 CFR 1.52(b)).

Replies should be mailed to: Mail Stop Missing Parts
Commissioner for Patents
P.O. Box 1450
Alexandria VA 22313-1450

*A copy of this notice **MUST** be returned with the reply.*

unt -
Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE